

Price list 2009v2



FIRE ALARM



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

CONTENTS

GENERAL INFORMATION

TABLE OF CONTENTS

HONEYWELL LIFE SAFETY CONTACT INFORMATION

Part 1 : CONVENTIONAL FIRE PANELS

HORIZON SERIES

Part 2 : ANALOGUE FIRE PANELS

DX SERIES

ZXSe SERIES

PERIPHERALS DEVICES

FIRE MANAGEMENT SYSTEMS

Part 3 : RELEASE PANELS

VSN-RP1r EXTINGUISHING PANELS

ACCESSORIES

Part 4 : CONVENTIONAL DEVICES

ECO 1000 SERIES CONVENTIONAL DETECTORS

MCP SERIES MANUAL CALL POINT

W9000 SERIES SWITCHES SERIES

DH400 SERIES DUCT DETECTORS

6500 SERIES BEAM DETECTORS

40/40 & X SERIES FLAME DETECTORS

A200 SERIES ASPIRATING SYSTEMS

Part 5 : INTELLIGENT DETECTORS & MODULES

MI200 & MI200-AP SERIES ANALOGUE DETECTORS

SAGITTARIUS & 2100 SERIES WIRELESS DETECTION

MI-MCP SERIES MANUAL CALL POINTS

MI & MULTI SERIES MODULES

DH500 SERIES DUCT DETECTORS

MI-LPB SERIES BEAM DETECTORS

A300 SERIES ASPIRATING SYSTEMS

Part 6 : AUDIO - VISUAL EQUIPMENT

CONVENTIONAL AUDIO - VISUAL DEVICES

ADDRESSABLE AUDIO - VISUAL DEVICES

INDUSTRIAL AUDIO & VISUAL DEVICES

Part 7 : MISCELLANEOUS AND ACCESSORIES

INTRINSICALLY SAFE DEVICES

EXPLOSION PROOF DEVICES

POWER SUPPLIES, CHARGERS AND BATTERIES

SAHEP SERIES - SMOKE EVACUATION SYSTEMS

DOOR MAGNETS

FIRE ALARM CABLE

ACCESSORIES

DETECTOR ACCESSORIES

MCP ACCESSORIES

DUCT DETECTOR ACCESSORIES

PROTECTIVE ACCESSORIES

Part 8 : GAS DETECTION

ZAREBA SERIES

Part 9 : TEST EQUIPMENT

PUNCTUAL DETECTORS

WIRELESS DETECTORS

LOOP TESTER

FLAME DETECTORS

GAS DETECTOR S

Part 10 : SPARE PARTS

CONVENTIONAL PANELS

INTELLIGENT PANELS

EXTINGUISHING PANELS

DEVICES

GAS DETECTION CONTROL PANELS

GENERAL SALES CONDITIONS

PRACTICAL INFORMATION

1. PRICE LIST POLICIES AND SALES PROCEDURES

2. ORDER POLICY

3. HOW TO TRACE YOUR PACKAGES SHIPPED

4. WARRANTY

5. RETURNING MATERIAL POLICY

6. SERVICES FROM HONEYWELL LIFE SAFETY



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell



PART I CONVENTIONAL PANELS



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

I - Conventional Fire Alarm Panels

HORIZON SERIES

The HRZ2-8 zone conventional fire alarm panels have been developed for both installers and end users with efficiency in mind, offering technically advanced range of facilities and functions while remaining easy to install, program and operate.


A full range of conventional detectors, advanced conventional detectors, beam detectors, manual call points, duct mounting applications, audible and visible devices complement the NFS2-8 series.

- * 2 configurable outputs and 2 configurable inputs
- * Text insert labels R1 (NL, FR, UK, GE, SW, DA)
- * Dimensions: 356 x 318 x 96 mm (w x h x d)
- * Weight: 2kg (no batteries), space for 12V-7Ah batteries
- * IP rating: IP30
- * Available options: - 020-713 Fire & Fault relay board,
- 020-747 8 way relay board
- 020-77 4-way sounder/monitored output board



BOSEC & LPCB approved EN54-2&4.

REFERENCE	Panels	UNIT PRICE IN €
HRZ2	1W 2 ZONES CONVENTIONAL FIRE ALARM PANEL	305,00
HRZ4	1W 4 ZONES CONVENTIONAL FIRE ALARM PANEL	370,00
HRZ8	1W 8 ZONES CONVENTIONAL FIRE ALARM PANEL	515,00

REFERENCE	Expansion Boards	UNIT PRICE IN €
020-713	1W FS02 A/F FIRE AND FAULT RELAY EXPANSION CARD Adds fire and fault relay outputs to the HRZ series panels	33,00
020-747	1W 8-WAY RELAY BOARD 8 relay outputs which are configurable as N/O or N/C by jumper links (1A @ 30Vdc) Link setting allows 4 function presets to be configured for all 8 relays Max 2 8 relay PCB per panel	150,00
	 Max 2 x 020-747 per panel	
020-772	1W 4-WAY SOUNDER / MONITORED OUTPUT BOARD Provides 4 monitored circuits with provision for external PSU and 2 digital inputs Available soon !!	320,00





STATAMAT
BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell



PART II

ANALOGUE PANELS

**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be






MORLEY IAS
FIRE SYSTEMS



by Honeywell

II - Analogue Fire Panels

DX SERIES

**!! Morley-IAS loop protocol only !!**

REFERENCE	Control Panels	UNIT PRICE IN €
705-021	1w DX1e-20S-M Single Loop Control Panel with 1 loop, 2 sounder circuits and 20 fire zones. Size 245x380x110mm (HxWxD)	 1525,00
705-022	1w DX1e-40M-M Single Loop Control Panel with 1 loop, 2 sounder circuits and 40 fire zones. Size 380x380x130mm (HxWxD)	 1880,00
705-024	1w DX2e-40M-M 2 Loops Control Panel with 2 loops, 2 sounder circuits and 40 fire zones. Size 380x380x130mm (HxWxD)	 2800,00
705-026	1w DX2e-40L-M 2 Loops Control Panel with 2 loops, 2 sounder circuits and 40 fire zones. Size 620x380x130mm (HxWxD)	 3060,00
705-028	1w DX4e-40L-M 4 Loops Control Panel with 4 loops, 2 sounder circuits and 40 fire zones. Size 620x380x130mm (HxWxD)	 3770,00

REFERENCE	Expansion Boards	UNIT PRICE IN €
795-085	1w Internal thermal printer for DX 40 zone control panels !!ONLY COMPATIBLE WITH DX 40!!	 1160,00
020-820	1w REPLACEMENT PAPER ROLL FOR PRINTER (old code: 070-010)	 31,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE	Mounting Accessories	UNIT PRICE IN €
797-066	8w Bezel kit for DX1e-20S 300x435mm	179,00
797-067	8w Bezel kit for DXxe-40M 435x435mm	199,00
797-068	8w Bezel kit for DXxe-40L 680x435mm	230,00
797-074	8w Glass door kit for DX control panels M and L size	357,00

REFERENCE	Software	UNIT PRICE
795-082	1w Engineers SPK (Software Programming Kit) CD with Fire - 6 and Dimension configuration tools	189,00





STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

ZXSe SERIES

▼▼ NEW

The new generation of ZXSe is a evolution of the previous Zxe series

Each panel includes:

- * 2 sounder circuits
- * 4 lines display
- * networking capability




!! Order loop board separately!!

VdS approval pending



REFERENCE	Control Panels	UNIT PRICE IN €
722-001-301 1w	ZXSe1 Single Loop Analogue Panel Dimensions: (w)400 x (h)400 x (d)135mm	1425,00
720-001-301 1w	ZXSe2 1 or 2 Loop Analogue Panel Dimensions: (w)400 x (h)400 x (d)135mm	2035,00
721-001-301 1w	ZXSe5 1 to 5 Loop Analogue Panel includes a 6A Power Supply Dimensions: (w)500 x (h)500 x (d)195mm	2650,00

REFERENCE	Expansion Boards	UNIT PRICE IN €
795-072-100 1w	Loop driver card Morley protocol 460mA	371,00
795-077-020 4w	20-zones indication expansion module; only for ZXSe5 expansion zone 21 till 40 (zone 1 till 20 is included in panel)	322,00
795-077-060 4w	60-zones indication expansion module; only for ZXSe5 expansion zone 21 till 80 (zone 1 till 20 is included in panel)	633,00
795-051-001 1w	Internal printer module for ZXSe5	725,00
020-820 1w	REPLACEMENT PAPER ROLL FOR PRINTER (old code: 070-010)	31,00





STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE	Mounting Accessories	UNIT PRICE IN €
797-061	8W ZXSe1/ZXSe2 Bezel kit. Semi flush mounting kit for ZX1e or ZX2e control panel. Bezel size 450 x 450mm	143,00
797-062	8W ZXSe5 Bezel kit. Semi flush mounting kit for ZX5e control panel. Bezel size 550 x 550mm	245,00
797-063	8W ZXSe1/ZXSe2 Glass doorkit	347,00
797-064	8W ZXSe5 Glass doorkit	582,00
797-076	1W "L" shaped mounting bracket to fit peripheral pcb's into ZXSe series panels	153,00
795-063	1W PSU/Charger in Box, 24VDC/5 Amp. Space for 2x 12V/24 Ah batteries, boxsize 500x500x180mm	1460,00
795-064	1W PSU/Charger without enclosure, 24VDC/5 Amp. Space for 2x 12V/24 Ah batteries, boxsize 500x500x180mm	1071,00
797-077	1W ZXSe1/2 Battery box or mounting enclosure Boxsize 400x400x135mm	408,00
797-078	1W ZXSe5 Battery box or mounting enclosure Boxsize 500x500x185mm	495,00

REFERENCE	Software	UNIT PRICE IN €
795-082	1W Engineers SPK (Software Programming Kit) CD with Fire - 6 configuration tools	189,00
795-081-001	1W Level 1 software key for FIRE - 6	1015,00



**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

PERIPHERALS

REFERENCE	Peripheral Devices	UNIT PRICE IN €
795-004-001	1W RS-485 Communication Module 	357,00
795-005	1W RS-232 Communication Module 	357,00
795-038-001	1W HI-485 communication module Requires an RS485 card to be fitted in the control panel. 	811,00
709-601-001	1W ACTIVE repeater panel Silence, Reset, Mute, Accept, Evacuate and Test Controls. Requires an RS485 card fitted in Control Panel 165x254x50mm (H x W x D) 	1071,00
709-701-001	1W PASSIVE repeater panel Requires an RS485 card fitted in Control Panel. 165x254x50mm (H x W x D) 	944,00
020-600-002	8W Bezel Kit for repeater panels. Semi flush mounting kit. Size 218x307 	189,00
795-014	1W 4 way, programmable RELAY module, pcb. Requires an RS485 card fitted in the Control Panel 	561,00
795-015	1W 4 way, programmable SOUNDER module, pcb. Requires an RS485 card fitted in the Control Panel 	617,00
795-029	1W 8 way, programmable INPUT module, pcb. Requires an RS485 card fitted in the Control Panel 	745,00
795-065	1W 40 way, programmable MIMIC interface, pcb. Requires an RS485 card fitted in the Control Panel 	1117,00
795-060-002	4W EXTERNAL PRINTER FOR ZX PANELS 	1185,00
796-042	4W THERMAL PAPER ROLL	23,65



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE	Advanced Interfaces for Third Party Peripherals	UNIT PRICE IN €
ZX-ESPA4.4.4	1w ZXSe ESPA 4.4.4 configuration tool Includes 24/5Vdc Adaptor and Windows configuration tool in 4 languages (NL, FR, UK, GE). Full duplex communication Requires an RS485 communication module	3245,00
795-057	4w Modbus interface module Requires an RS485 card fitted in Control Panel	1617,00
3071-0001	4w RS485 »»» Fiber Optical Converter for network DIN rail mounting unit. For fibres with 820nm wavelength	2209,00
3071-0201	4w RS485 »»» Fiber Optical Converter for network DIN rail mounting unit. For fibres with 1300nm wavelength	2668,00





STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS


by Honeywell





MGS - Graphic Package



1 Day training required in our offices.

(See General Information for Technical trainings at Notifier.)

REFERENCE	Demo version		UNIT PRICE IN €
▼▼ NEW			
MGS-Zxe-DE	3W MONITORING GRAPHIC PACKAGE (DEMO VERSION)		700,00
	This kit contains software, driver, dongle and manuals on CD-ROM. For demo purpose only, max 20 devices can be configured.		

REFERENCE	Stand Alone Application		UNIT PRICE IN €
MGS-ZXe-SA-S	3W MONITORING GRAPHIC PACKAGE (STAND ALONE VERSION)		2585,00
	This kit contains software, driver, dongle and manuals on CD-ROM. Small version, limited to max. 500 objects.		
MGS-ZXe-SA-M	3W MONITORING GRAPHIC PACKAGE (STAND ALONE VERSION)		5175,00
	This kit contains software, driver, dongle and manuals on CD-ROM. Medium version, limited to max. 1.000 objects.		
MGS-ZXe-SA-L	3W MONITORING GRAPHIC PACKAGE (STAND ALONE VERSION)		7755,00
	This kit contains software, driver, dongle and manuals on CD-ROM. Large version, not limited to a max. number of objects.		
MGS-ZXe-SA-2P	3W ADDITIONAL DRIVER FOR A 2nd PANEL ON A STATION		5175,00
	This kit includes software, driver, dongle and manuals on CD-ROM.		

REFERENCE	Graphic Package - Client Server Application	UNIT PRICE IN €
	<i>Client-server applications will be calculated per project and on special demand. For some projects we can quote for the total project execution. For more information, please take contact with your local sales representative.</i>	on demand

REFERENCE	Graphic Package - Accessories	UNIT PRICE IN €
ITS-BOX	RS232 - TCP/IP DEVICE SERVER	460,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell



PART III RELEASE PANELS



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

III - Releasing Panels

VSN-RP1r Release Panel

The VSN-RP1r is a release control panel with 2 microprocessors to increase safety.

The system is designed to manage correctly and in according to EN12094/1/2003 and EN54-2 & 4, the automatic release sequence of any extinguishing system.

The panel has 3 input zones for conventional detectors or external release call points. It includes also 2 monitored and electronically protected release output circuits and 2 sounder outputs.

At the front, there are function pushbuttons, a release call point, 2-digit countdown timer that indicates the seconds left for release activation, after release acknowledge and with GAS sign on, and a keyswitch for operating mode selection: Automatic, Manual and Disabled.

There are input circuits available for aborting release, flow and low pressure monitoring and open door control.

Apart from 2 release outputs, there is also an output for pre-action, general fault, finished release output, automatic release inhibited, fault signal output in release circuit, resettable and non-resettable power supply for external devices.

BOSEC Approval pending EN12094:1/2003 and EN54-2&4

- * Compact release panel controlled by 2 microprocessors
- * 2 conventional detection zones
- * Third configurable zone for det or MCP
- * Manual abort & hold switch.
- * Day/night Function
- * Input circuit for flow and low pressure
- * 2 release circuits
- * Countdown Timer
- * 2 Monitored sounder outputs
- * 36 leds to quickly identify events
- * Few Relays (pre-action, general alarm, finished release, ...)



REFERENCE	Release Panel	UNIT PRICE IN €
VSN-RP1r	1W EN 54 AGENT RELEASE CONTROL PANEL includes 65W power supply Will hold batteries up to 7Ah Dimension: 382 x 357 x 94mm	998,00



REFERENCE	Expansion Boards	UNIT PRICE IN €
VSN-LL	1W KEYSWITCH FOR LEVEL 2 ACCESS	55,00
VSN-232	1W RS 232 SERIAL INTERFACE (configuration windows tools included)	165,00
VSN-4REL	1W 4 RELAY BOARD (Necessary to comply EN12094:1/2003)	125,00
▼▼ NEW		
RP1r-RACK	5W 19" RACK ADAPTER FOR VSN-RP1r	160,00





STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE	EN12094-3 complied Call Points	UNIT PRICE IN €
-----------	--------------------------------	--------------------

<p>ECP-804900 1W CLASS B ELECTRONIC CONTROL UNIT FOR MANUAL RELEASE Includes: alarm indicator yellow housing plastic key for reset & opening of enclosure kit of EN12094-3 complied labels (Dutch, French, English, German & Italian)</p>		<p>45,00</p>
<p>ECP-804902 1W CLASS B ELECTRIC STOP PUSH BUTTON Includes: alarm indicator blue housing plastic key for reset & opening of enclosure kit of EN12094-3 complied labels (Dutch, French, English, German & Italian)</p>		<p>55,00</p>

REFERENCE	Emergency Fire Signalling Panels	UNIT PRICE IN €
-----------	----------------------------------	--------------------

Optical and acoustic signalling panels suitable for any risk situation such as fire, flooding, gas extinguishing, etc.

Panels are delivered without labels that have to be ordered separately.

The housing material is a self-extinguishing thermoplastic, white color and the diffuser is a clear self-extinguishing polycarbonate.

** Self-extinguishing thermoplastic enclosure*

** 24V power supply*

** Fixed or intermittent light*

** Built in buzzer*

** IP30 or IP65 (depend model)*

** Dimensions: 365 x 180 x 50 mm*

** Pulsing sound buzzer (98dB at 1m)*

** Complies with EN54 regulations*



Order labels separately!

REFERENCE	Panels	UNIT PRICE IN €
-----------	--------	--------------------

▼▼ NEW	<p>A5053 SS 4W XENON LIGHT SIGNALLING PANEL 70mA power consumption.</p>	<p>120,00</p>
▼▼ NEW	<p>A5553 SS 4W XENON LIGHT SIGNALLING PANEL IP65</p>	<p>165,00</p>
▼▼ NEW	<p>A5055 SS 4W LED'S LIGHT SIGNALLING PANEL 58mA power consumption.</p>	<p>115,00</p>
▼▼ NEW	<p>A5555 SS 4W LED'S LIGHT SIGNALLING PANEL IP65</p>	<p>165,00</p>

**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE

Labels (Red Background, White Letters)UNIT PRICE
IN €

For 5500 series add a "W" after the code of labels.

▼▼ NEW

A08670N	4W	"BRANDALARM"	19,00
A08671N	4W	"ONTRUIMINGSALARM"	19,00
A08672N	4W	"VERBODEN TOEGANG - GASALARM"	19,00
A08666	4W	"EXTINGUISHING IN PROGRESS"	19,00
A08667	4W	"ALARM"	19,00
A08668	4W	"FIRE ALARM"	19,00
A08669	4W	"DO NOT ENTER"	19,00
A08670	4W	"ALARME INCENDIE"	19,00
A08671	4W	"EVACUATION IMMEDIATE"	19,00
A08672	4W	"ENTREE INTERDITE"	19,00
A08673	4W	"EINTRITT VERBOTEN"	19,00
A08674	4W	"FEUERALARM"	19,00
A08675	4W	"TIEFGARAGE SOFORT VERLASSEN"	19,00
A08676	4W	"BETRETEN VERBOTEN - GASALARM"	19,00
A08660	4W	"ALLARME INCENDIO"	19,00
A08664	4W	"ABBANDONARE IL LOCALE"	19,00
A08658	4W	"VIETATO ENTRARE SPEGNIMENTO AUTOMATICO IMMINENTE"	19,00

Other label

on demand